ASTROGATE

v1.0

ASTROS Pod

AP4-11

User guide



For more infomation:

What's in the Box



Product Overview



How to start using ASTROS Pod

Step 1. Pair Your Pod with an ASTROS Station

Method 1: Physically connect the Pod to an Station

1



Connect the Pod to the USB-C port on the well-configured Station front panel to start pairing mode.

2



LED breathing green: pairing
LED steady green: pairing finished
You may check the main screen message for pairing status.

3



When 'Pairing finished' appeared on the main screen, you may unplug your Pod from the Station.

Method 2: Use Pod Utility App

Pod Utility App
(For Windows only)

For download:

Step 2. Start the Presentation

1



Connect the Pod to your laptop's USB-C port and wait until the LED remains light blue.
If LED is pink, your device does not support USB-C A/V output.

2

The Pod will automatically start screen sharing when ready.

Unplug the Pod if you wish to stop sharing.



Long-press the Share Button to full screen or split screen.
Long-press the Function Button to disconnect with the Station.

LED Color Definition

LED Color	Category	Definition
Breathing green	Firmware	Checking new version/ upgrade complete
	Pairing	Pairing
Steady green	Pairing	Pairing finished
Breathing light blue	Presentation	Preparing for presentation
Steady light blue	Presentation	Standby (ready to present)
Steady blue	Presentation	Presenting
Breathing blue + red	Firmware	Firmware upgrading
Steady red	Pairing	Pairing failed
	Connection	Wi-Fi connection failed or disconnected Please pair with the Station again
Amber	Connection	Station connection failed or disconnected Please replug the Pod
Pink	Connection	Laptop's USB-C doesn't support A/V output

Button Behavior (For AP4-11)

Button	Behavior	Definition
Share Button 	Long-press	Switch between full-screen and split-screen
Function Button 	Long-press	Disconnect with the Station

限用物質表

設備名稱 Equipment name: **ASTROS Pod**

型號 Type designation (Type): **AP4-11**

單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr^{+6})	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
外殼	○	○	○	○	○	○
電路板	○	○	○	○	○	○
連接器	○	○	○	○	○	○
訊號線	○	○	○	○	○	○

備考 1. 「超出 0.1 wt %」及「超出 0.01 wt %」係指限用物質之百分比含量超出百分比含量基準量。
Note 1 "Exceeding 0.1 wt %" and "exceeding 0.01 wt %" indicate that the percentage content of the restricted substance exceeds the reference pecentage value of presence conditon.

備考 2. 「○」係指該項限用物質之百分比含量未超出百分比含量基準值。
Note 2 "○" indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

備考 3. 「－」係指該項限用物質為排除項目。
Note 3 " - " indicates that the percentage content of the restricted substance corresponds to the exemption.

Federal Communications Commission (FCC) Statement

v1.0

15.105(b)

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

IMPORTANT NOTE:

This device has been tested with 5mm separation distance SAR, and it is compliant with the general population/uncontrolled RF exposure limit.

警語

NCC 警語

根據審驗證明之低功率射頻器材技術規範 _ 章節 3.8.2：

取得審驗證明之低功率射頻器材，非經核准，公司、商號或使用者均不得擅自變更頻率、加大功率或變更原設計之特性及功能。

低功率射頻器材之使用不得影響飛航安全及干擾合法通信；經發現有干擾現象時，應立即停用，並改善至無干擾時方得繼續使用。

前述合法通信，指依電信管理法規定作業之無線電通信。低功率射頻器材須忍受合法通信或工業、科學及醫療用電波輻射性電機設備之干擾。

210mm

297mm

ASTROGATE

v1.0

ASTROS Pod

AP4-11

User guide



For more infomation:

What's in the Box



Product Overview



How to start using ASTROS Pod

Step 1. Pair Your Pod with an ASTROS Station

Method 1: Physically connect the Pod to an Station



Connect the Pod to the USB-C port on the well-configured Station front panel to start pairing mode.



LED breathing green: pairing
LED steady green: pairing finished
You may check the main screen message for pairing status.



When 'Pairing finished' appeared on the main screen, you may unplug your Pod from the Station.

Method 2: Use Pod Utility App

Pod Utility App
(For Windows only)

For download:

Step 2. Start the Presentation



Connect the Pod to your laptop's USB-C port and wait until the LED remains light blue.
If LED is pink, your device does not support USB-C A/V output.



210mm

297mm

LED Color Definition

LED Color	Category	Definition
Breathing green	Firmware	Checking new version/ upgrade complete
	Pairing	Pairing
Steady green	Pairing	Pairing finished
Breathing light blue	Presentation	Preparing for presentation
Steady light blue	Presentation	Standby (ready to present)
Steady blue	Presentation	Presenting
Breathing blue + red	Firmware	Firmware upgrading
Steady red	Pairing	Pairing failed
	Connection	Wi-Fi connection failed or disconnected Please pair with the Station again
Amber	Connection	Station connection failed or disconnected Please replug the Pod
Pink	Connection	Laptop's USB-C doesn't support A/V output

Button Behavior (For AP4-11)

Button	Behavior	Definition
Share Button	Long-press	Switch between full-screen and split-screen
Function Button	Long-press	Disconnect with the Station

限用物質表

設備名稱 Equipment name: **ASTROS Pod**

型號 Type designation (Type): **AP4-11**

單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr^{+6})	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
外殼	○	○	○	○	○	○
電路板	○	○	○	○	○	○
連接器	○	○	○	○	○	○
訊號線	○	○	○	○	○	○

備考 1. 「超出 0.1 wt %」及「超出 0.01 wt %」係指限用物質之百分比含量超出百分比含量基準量。
Note 1 "Exceeding 0.1 wt %" and "exceeding 0.01 wt %" indicate that the percentage content of the restricted substance exceeds the reference pecentage value of presence conditon.

備考 2. 「○」係指該項限用物質之百分比含量未超出百分比含量基準值。
Note 2 "○" indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

備考 3. 「－」係指該項限用物質為排除項目。
Note 3 "－" indicates that the percentage content of the restricted substance corresponds to the exemption.

Federal Communications Commission (FCC) Statement

v1.0

15.105(b)

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

IMPORTANT NOTE:

This device has been tested with 5mm separation distance SAR, and it is compliant with the general population/uncontrolled RF exposure limit.

警語

NCC 警語

根據審驗證明之低功率射頻器材技術規範 _ 章節 3.8.2：
取得審驗證明之低功率射頻器材，非經核准，公司、商號或使用者均不得擅自變更頻率、加大功率或變更原設計之特性及功能。

低功率射頻器材之使用不得影響飛航安全及干擾合法通信；經發現有干擾現象時，應立即停用，並改善至無干擾時方得繼續使用。

前述合法通信，指依電信管理法規定作業之無線電通信。低功率射頻器材須忍受合法通信或工業、科學及醫療用電波輻射性電機設備之干擾。